

South Dakota State University

## Open PRAIRIE: Open Public Research Access Institutional Repository and Information Exchange

---

Extension Extra

SDSU Extension

---

9-1-1995

# Relationship Between Kernel Growth Stage at Harvest and Silage Dry Matter Production in Corn

Robert Hall

*South Dakota State University*

Follow this and additional works at: [http://openprairie.sdstate.edu/extension\\_extra](http://openprairie.sdstate.edu/extension_extra)

---

### Recommended Citation

Hall, Robert, "Relationship Between Kernel Growth Stage at Harvest and Silage Dry Matter Production in Corn" (1995). *Extension Extra*. Paper 312.

[http://openprairie.sdstate.edu/extension\\_extra/312](http://openprairie.sdstate.edu/extension_extra/312)

This Other is brought to you for free and open access by the SDSU Extension at Open PRAIRIE: Open Public Research Access Institutional Repository and Information Exchange. It has been accepted for inclusion in Extension Extra by an authorized administrator of Open PRAIRIE: Open Public Research Access Institutional Repository and Information Exchange. For more information, please contact [michael.biondo@sdstate.edu](mailto:michael.biondo@sdstate.edu).



## Relationship Between Kernel Growth Stage at Harvest and Silage Dry Matter Production in Corn

by Robert Hall, Extension agronomist-crops

Periodically, corn growers inquire about the silage potential of corn at a given growth stage. Table 1 shows how the silage potential of corn differs among kernel growth stages. Note the silage dry matter (DM) yield of corn doubles from the silk to the full dent stage. In addition, the increase in percent of maximum silage DM yield for each stage from silk to early dent is 10%. Thereafter, maximum DM yield increases 20% from early to full dent.

The corn silage data represented in Table 1 is from Wisconsin. Presently, there is no such data for South Dakota. Values for silage in South Dakota would likely differ from the values reported in Table 1. However, we would expect to see somewhat similar increases in percent maximum DM yields per growth stage in South Dakota as corn matured from the silk to full dent stage.

Table 1. Relationship between corn kernel growth stage at harvest and silage dry matter (DM) yield.

Kernel Growth Stage	Days to Full Dent	Percent Maximum DM Yield	Silage DM Yield	
			Grain Yield Potential	
			100 B/A	125+ B/A
			----- DM, T/A -----	
Silk	40	50	2.1	2.7
Blister	30	60	2.5	3.7
Late Milk - Dough	20	70	2.9	3.8
Early Dent	10	80	3.4	4.3
Full Dent	0	100	4.3	5.4

Source: Adapted from Hanway, J.J. 1966. How a corn plant develops. Iowa State University, Coop. Ext. Serv. Spec. Report No. 48, 17 p.; and Burger, B.A. 1993. Unpublished results, University of Wisconsin.

This publication and others can be accessed electronically from the SDSU College of Agriculture & Biological Sciences publications page, which is at <http://agbiopubs.sdstate.edu/articles/ExEx8115.pdf>



Issued in furtherance of Cooperative Extension work, Acts of May 8 and June 30, 1914, in cooperation with the USDA. Larry Tidemann, Director of Extension, Associate Dean, College of Agriculture & Biological Sciences, South Dakota State University, Brookings. SDSU is an Affirmative Action/Equal Opportunity Employer (Male/Female) and offers all benefits, services, and educational and employment opportunities without regard for ancestry, age, race, citizenship, color, creed, religion, gender, disability, national origin, sexual preference, or Vietnam Era veteran status.